



Release Notes

/Amster 6

Latest update: 6.0.0

ForgeRock AS
201 Mission St., Suite 2900
San Francisco, CA 94105, USA
+1 415-599-1100 (US)
www.forgerock.com

Copyright © 2017-2018 ForgeRock AS.

Abstract

Notes covering new features, fixes and known issues for the ForgeRock® Access Management command-line interface, Amster.



This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License.

To view a copy of this license, visit <https://creativecommons.org/licenses/by-nc-nd/3.0/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

ForgeRock® and ForgeRock Identity Platform™ are trademarks of ForgeRock Inc. or its subsidiaries in the U.S. and in other countries. Trademarks are the property of their respective owners.

UNLESS OTHERWISE MUTUALLY AGREED BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DejaVu Fonts

Bitstream Vera Fonts Copyright

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.

Arev Fonts Copyright

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: tavmjong @ free . fr.

FontAwesome Copyright

Copyright (c) 2017 by Dave Gandy, <http://fontawesome.io>.

This Font Software is licensed under the SIL Open Font License, Version 1.1. See <https://opensource.org/licenses/OFL-1.1>.

Table of Contents

Preface	iv
1. What's New	1
2. Before You Install	3
2.1. Operating System Requirements	3
2.2. Java Requirements	3
2.3. Special Requests	4
3. Changes and Deprecated Functionality	5
3.1. Important Changes to Existing Functionality	5
4. Limitations and Known Issues	6
4.1. Key Fixes	6
4.2. Limitations	6
4.3. Known Issues	8
5. Documentation Updates	9
A. Getting Support	10
A.1. Accessing Documentation Online	10
A.2. Using the ForgeRock.org Site	10
A.3. Getting Support and Contacting ForgeRock	11

Preface

Amster is a lightweight command-line interface, ideal for use in DevOps processes, such as continuous integration and deployment.

Read these release notes before you install Amster. The information contained in these release notes cover prerequisites for installation, known issues and improvements to the software, changes and deprecated functionality, and other important information.

About ForgeRock Identity Platform™ Software

ForgeRock Identity Platform™ serves as the basis for our simple and comprehensive Identity and Access Management solution. We help our customers deepen their relationships with their customers, and improve the productivity and connectivity of their employees and partners. For more information about ForgeRock and about the platform, see <https://www.forgerock.com>.

Chapter 1

What's New

This chapter covers new features and improvements in Amster.

Amster 6

- **Support for AM 6 or Newer Only**

Amster 6 supports exporting and importing configuration from AM 6 or newer.

If you have a previous version of Amster:

1. Perform a fresh installation of Amster 6. For more information, see "Installing Amster" in the *User Guide*.
2. Migrate any Amster Groovy scripts from the previous Amster installation. Take into account these Release Notes for possible changes in functionality.
3. Migrate any JSON configuration files that were exported from the following versions of AM:
 - AM 5
 - AM 5.1.0
 - AM 5.1.1
 - AM 5.5

A configuration file upgrade tool is provided in the AM 6.0.0 ZIP file. For more information on converting configuration files for import into AM 6, see the [README.md](#) file in the [Config-Upgrader-6.0.0.zip](#) file.

4. Test the new Amster installation.
5. Delete the previous Amster installation. For example:

```
$ rm -rf /path/to/amster_5.5
```

- **ForgeRock Identity Platform Common Configuration Expressions**

Since its inception, Amster has supported using variables in exported configuration files in the format `AMSTER{myVariableName}`.

ForgeRock Identity Platform 6 introduces *expressions*, a way to support property value substitution on configuration files using the same rules across the Platform.

Amster variables in configuration files are deprecated in favor of expressions.

For more information, see "Using Configuration Expressions in Exported Configuration Files" in the *User Guide*.

Amster 6.0.1

- Support for Multi-Server Deployment Installations

Amster 6.0.1 can now configure deployed AM instances as part of a multi-server deployment.

To support these deployments, the following options have been added to the **install-openam** command:

- dsEmbReplReplPort1
- dsEmbReplReplPort2
- dsEmbReplFlag
- dsEmbReplHost2
- dsEmbReplAdminPort2
- existingServerId

For more information about the options, see "Command-Line Reference" in the *User Guide*. For examples, see "Installing Access Management with Amster" in the *User Guide*.

- Improved Error Messages for the **install-openam** Command

Amster 6.0.1 improves the error messages showing when installing AM is unsuccessful.

For more information, see "Troubleshooting Access Management Installations" in the *User Guide*

- The Value of the **com.ipplanet.am.lbcookie.value** Property Can Be Overridden

By default, Amster configures the value of the **com.ipplanet.am.lbcookie.value** property as the value of the server ID. This could not be changed in earlier versions of Amster.

To override the default during import in Amster 6.0.1, prefix the new value with **override-server-id:** in the configuration files. For example:

```
"com.ipplanet.am.lbcookie.value" : "override-server-id:myLBCookieValue"
```

Chapter 2

Before You Install

This section covers software and hardware prerequisites for installing and running Amster.

ForgeRock supports customers using the versions specified here. Other versions and alternative environments might work as well. When opening a support ticket for an issue, however, make sure you can also reproduce the problem on a combination covered here.

2.1. Operating System Requirements

ForgeRock supports customers using ForgeRock Access Management server software on the following operating system versions:

Supported Operating Systems

Operating System	Version
Red Hat Enterprise Linux, Centos, Amazon Linux	6, 7
Amazon Linux	Amazon Linux AMI 2017.09, Amazon Linux 2
SuSE	12
Ubuntu	14.04 LTS, 16.04 LTS
Solaris x64	10, 11
Solaris Sparc	10, 11
Windows Server	2012 R2, 2016

2.2. Java Requirements

JDK Requirements

Vendor	Version
Oracle JDK	8
IBM SDK, Java Technology Edition (Websphere only)	8
OpenJDK	8

2.3. Special Requests

If you have a special request regarding support for a combination not listed here, contact ForgeRock at info@forgerock.com.

Chapter 3

Changes and Deprecated Functionality

This chapter covers both major changes to existing functionality, and also deprecated and removed functionality.

3.1. Important Changes to Existing Functionality

This section lists changes made to existing functionality in Amster.

Amster 6

- **Changes to the `install-openam` Command**

Amster 5.5 supports fallback to external configuration store properties for the user store during AM installation. Amster 6 requires that you specify the properties for both the external user store and external configuration store, even if they will use the same DS server.

For more information about installing AM using Amster, see `install-openam` in the *User Guide* and "Installing Access Management With Amster Examples" in the *User Guide*.

Chapter 4

Limitations and Known Issues

4.1. Key Fixes

The following issues are fixed in this release. For details, see the OpenAM issue tracker.

Amster 6

- OPENAM-12092: Prettyprint for Amster should be a switch

4.2. Limitations

The following important issues remained open at the time release 6 became available:

• **Private Key Connections to Access Management Can Fail**

Installing or upgrading AM appends the contents of the `/path/to/openam/amster_rsa.pub` file to the `/path/to/openam/authorized_keys` file. The contents of the `authorized_keys` file resemble the following:

```
from="127.0.0.0/24,::1" ssh-rsa AAAAB3NzaC1y...
```

The `from` attribute restricts the communication between AM and Amster clients that communicate using the `127.0.0.0/24` network. If your AM server is not configured in the loopback interface, Amster connections may fail with an error resembling the following:

```
am> connect --private-key /home/fr/openam/amster_rsa https://openam.example.com:8443/openam
Unexpected response from OpenAM
[code:401, reason:Unauthorized, message:Authentication Failed]
```

To work around this problem, remove or update the `from` attribute to suit your environment as follows:

- Remove the `from` attribute, leaving only the key. For example:

```
ssh-rsa AAAAB3NzaC1y...
```

In this example, the Amster client holding the appropriate private key can communicate with AM regardless of their IP address or DNS domain.

- Update the loopback network specified in the `from` attribute with the DNS domain configured for AM. For example:

```
$ cat /etc/hosts | grep -i openam
192.168.1.94 openam.example.com

$ vi /path/to/openam/authorized_keys
from="*.example.com" ssh-rsa AAAAB3NzaCly...
```

In this example, the Amster client holding the appropriate private key can communicate with AM if they are part of the `.example.com` DNS domain.

Refer to the Linux documentation for more information about patterns supported by the `from` attribute.

- **Amster Installs Single-server Instances of Access Management**

To create instances and add them to a multi-server site deployment, see the *ForgeRock Access Management Install Guide*.

- **Importing Resources Containing Slash Characters Can Fail**

Some Access Management resources have names that can contain slash characters (`/`), for example policy names, application names, and SAML v2.0 entities. These slash characters can cause unexpected behavior and failures in Amster when importing into Access Management instances running on Apache Tomcat.

To workaroud this issue, configure Apache Tomcat to allow encoded slash characters by updating the `CATALINA_OPTS` environment variable. For example:

On Unix/Linux systems:

```
$ export CATALINA_OPTS= \
  "-Dorg.apache.tomcat.util.buf.UDecoder.ALLOW_ENCODED_SLASH=true"
$ startup.sh
```

On Windows systems:

```
C:\> set CATALINA_OPTS= ^
  "-Dorg.apache.tomcat.util.buf.UDecoder.ALLOW_ENCODED_SLASH=true"
C:\> startup.bat
```

Warning

It is strongly recommended that you do *not* enable `org.apache.tomcat.util.buf.UDecoder.ALLOW_ENCODED_SLASH` when running AM in production as it introduces a security risk on Apache Tomcat.

For more information, see [How do I safely enable the `org.apache.tomcat.util.buf.UDecoder.ALLOW_ENCODED_SLASH` setting in AM/OpenAM \(All Versions\)?](#) in the *ForgeRock Knowledge Base*.

- **[INFO] Messages Showing On SuSE On Amster Start Up**

Running Amster on SuSE may produce `[INFO]` messages, for example:

```
# ./amster
[INFO] Unable to bind key for unsupported operation: up-history
[INFO] Unable to bind key for unsupported operation: down-history
[INFO] Unable to bind key for unsupported operation: up-history
[INFO] Unable to bind key for unsupported operation: down-history
OpenAM Shell (6 build c9ca9450a9, JVM: 1.8.0_65)
Type ':help' or ':h' for help
.
-----
am>
```

These messages are caused by the keyboard mappings configured in the `/etc/inputrc` file and can safely be ignored, as they do not affect functionality.

4.3. Known Issues

Amster 6

- No issues remained open when Amster 6 became available.

Chapter 5

Documentation Updates

The following table tracks changes to the documentation set following the release of Amster 6:

Documentation Change Log

Date	Description
2019-07-16	Added missing <code>--connection-timeout</code> option.
2018-06-04	Added a warning admonition about enabling <code>-Dorg.apache.tomcat.util.buf.UDecoder.ALLOW_ENCODED_SLASH</code> in production. For more information, see "Limitations".
2018-05-04	Initial release

Appendix A. Getting Support

For more information or resources about OpenAM and ForgeRock Support, see the following sections:

A.1. Accessing Documentation Online

ForgeRock publishes comprehensive documentation online:

- The ForgeRock Knowledge Base offers a large and increasing number of up-to-date, practical articles that help you deploy and manage ForgeRock software.

While many articles are visible to community members, ForgeRock customers have access to much more, including advanced information for customers using ForgeRock software in a mission-critical capacity.

- ForgeRock product documentation, such as this document, aims to be technically accurate and complete with respect to the software documented. It is visible to everyone and covers all product features and examples of how to use them.

A.2. Using the ForgeRock.org Site

The [ForgeRock.org](https://www.forgerock.org) site has links to source code for ForgeRock open source software, as well as links to the ForgeRock forums and technical blogs.

If you are a *ForgeRock customer*, raise a support ticket instead of using the forums. ForgeRock support professionals will get in touch to help you.

A.3. Getting Support and Contacting ForgeRock

ForgeRock provides support services, professional services, training through ForgeRock University, and partner services to assist you in setting up and maintaining your deployments. For a general overview of these services, see <https://www.forgerock.com>.

ForgeRock has staff members around the globe who support our international customers and partners. For details on ForgeRock's support offering, including support plans and service level agreements (SLAs), visit <https://www.forgerock.com/support>.