



Monitoring Guide

/ ForgeRock Identity Management 7

Latest update: 7.0.4

ForgeRock AS.
201 Mission St., Suite 2900
San Francisco, CA 94105, USA
+1 415-599-1100 (US)
www.forgerock.com

Copyright © 2011-2020 ForgeRock AS.

Abstract

Guide to configuring ForgeRock® Identity Management server logs and monitoring metrics.



This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License.

To view a copy of this license, visit <https://creativecommons.org/licenses/by-nc-nd/3.0/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

ForgeRock® and ForgeRock Identity Platform™ are trademarks of ForgeRock Inc. or its subsidiaries in the U.S. and in other countries. Trademarks are the property of their respective owners.

UNLESS OTHERWISE MUTUALLY AGREED BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DejaVu Fonts

Bitstream Vera Fonts Copyright

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.

Arev Fonts Copyright

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: tavmjong @ free . fr.

FontAwesome Copyright

Copyright (c) 2017 by Dave Gandy, <https://fontawesome.com/>.

This Font Software is licensed under the SIL Open Font License, Version 1.1. See <https://opensource.org/licenses/OFL-1.1>.


Table of Contents

Overview	iv
1. Configure Server Logs	1
2. Set up Monitoring	5
Monitoring With the Dropwizard Widget	5
Monitoring With the Prometheus Endpoint	6
3. Metrics Reference	9
API Metrics	10
Prometheus Metrics	17
IDM Glossary	25

Overview

This guide covers server logging, monitoring, and metrics.

Quick Start

 <p>Server Logs</p> <p>Manage and read server logs.</p>	 <p>Monitoring</p> <p>Set up systems to monitor IDM.</p>	 <p>Metrics</p> <p>Find reference information for monitoring metrics.</p>
--	---	--

ForgeRock Identity Platform™ serves as the basis for our simple and comprehensive Identity and Access Management solution. We help our customers deepen their relationships with their customers, and improve the productivity and connectivity of their employees and partners. For more information about ForgeRock and about the platform, see <https://www.forgerock.com>.

The ForgeRock Common REST API works across the platform to provide common ways to access web resources and collections of resources.

Chapter 1

Configure Server Logs

Server logging is not the same as auditing. Auditing logs activity on the IDM system, such as access, and synchronization. Server logging records information about the internal workings of IDM, like system messages, error reporting, service loading, or startup and shutdown messaging.

Server logging is configured in your project's `conf/logging.properties` file. Changes to logging settings require a server restart before they take effect. Alternatively, use JMX via `jconsole` to change the logging settings. In this case, changes take effect without restarting the server.

+ *Specify Where Messages Are Logged*

The way in which messages are logged is set in the `handlers` property in the `logging.properties` file. This property has the following value by default:

```
handlers=java.util.logging.FileHandler, java.util.logging.ConsoleHandler
```

Two handlers are listed by default:

- `FileHandler` writes formatted log records to a single file or to a set of rotating log files. By default, log files are written to `logs/openidm*.log` files.
- `ConsoleHandler` writes formatted logs to `System.err`.

Additional log message handlers are listed in the `logging.properties` file.

+ *Set the Log Message Format*

IDM supports the two default log formatters included with Java. These are set in the `conf/logging.properties` file:

- `java.util.logging.SimpleFormatter.format` outputs a text log file that is human-readable. This formatter is used by default.
- `java.util.logging.XMLFormatter` outputs logs as XML, for use in logging software that can read XML logs.

IDM extends the Java `SimpleFormatter` with the following formatting options:

- `org.forgerock.openidm.logger.SanitizedThreadIdLogFormatter`

This is the default formatter for console and file logging. It extends the `SimpleFormatter` to include the thread ID of the thread that generated each message. The thread ID helps with debugging when reviewing the logs.

In the following example log excerpt, the thread ID is [19]:

```
[19] May 23, 2018 10:30:26.959 AM org.forgerock.openidm.repo.opendj.impl.Activator start
INFO: Registered bootstrap repository service
[19] May 23, 2018 10:30:26.960 AM org.forgerock.openidm.repo.opendj.impl.Activator start
INFO: DS bundle started
```

The `SanitizedThreadIdLogFormatter` also encodes all control characters (such as newline characters) using URL-encoding, to protect against log forgery. Control characters in stack traces are not encoded.

- `org.forgerock.openidm.logger.ThreadIdLogFormatter`

Similar to the `SanitizedThreadIdLogFormatter`, but does not encode control characters. If you do not want to encode control characters in file and console log messages, change the file and console handlers in `conf/logging.properties` as follows:

```
java.util.logging.FileHandler.formatter = org.forgerock.openidm.logger.ThreadIdLogFormatter
```

```
java.util.logging.ConsoleHandler.formatter = org.forgerock.openidm.logger.ThreadIdLogFormatter
```

The `SimpleFormatter` (and, by extension, the `SanitizedThreadIdLogFormatter` and `ThreadIdLogFormatter`) lets you customize what information to include in log messages, and how this information is laid out. By default, log messages include the date, time (down to the millisecond), log level, source of the message, and the message sent (including exceptions). To change the defaults, adjust the value of `java.util.logging.SimpleFormatter.format` in your `conf/logging.properties` file. For more information on how to customize the log message format, see the related Java documentation.

+ Set the Logging Level

By default, IDM logs messages at the `INFO` level. This logging level is specified with the following global property in `conf/logging.properties`:

```
.level=INFO
```

You can specify different separate logging levels for individual server features which override the global logging level. Set the log level, per package to one of the following:

```
SEVERE (highest value)
WARNING
INFO
CONFIG
FINE
FINER
FINEST (lowest value)
```

For example, the following setting decreases the messages logged by the embedded PostgreSQL database:

```
# reduce the logging of embedded postgres since it is very verbose
ru.yandex.qatools.embed.postgresql.level = SEVERE
```

Set the log level to **OFF** to disable logging completely (see in [Disable Logs](#)), or to **ALL** to capture all possible log messages.

If you use **logger** functions in your JavaScript scripts, set the log level for the scripts as follows:

```
org.forgerock.openidm.script.javascript.JavaScript.level=level
```

You can override the log level settings, per script, with the following setting:

```
org.forgerock.openidm.script.javascript.JavaScript.script-name.level
```

For more information about using **logger** functions in scripts, see "Log Functions" in the *Scripting Guide*.

Important

It is strongly recommended that you do *not* log messages at the **FINE** or **FINEST** levels in a production environment. Although these levels are useful for debugging issues in a test environment, they can result in accidental exposure of sensitive data. For example, a password change patch request can expose the updated password in the Jetty logs.

+ Configure Log File Rotation

Log files are rotated when the size reaches 5 MB, and IDM retains up to 5 files. All system and custom log messages are also written to these files. You can modify these limits in the following properties in the `logging.properties` file for your project:

```
# Limiting size of output file in bytes:
java.util.logging.FileHandler.limit = 5242880

# Number of output files to cycle through, by appending an
# integer to the base file name:
java.util.logging.FileHandler.count = 5
```

Note

There is currently no `logging.properties` setting for time-based rotation of server log files. However, on UNIX systems you can use the `logrotate` command to schedule server log rotation at a regular interval. For more information, see the `logrotate` man page.

+ Disable Logs

If required, you can also disable logs. For example, to disable `ConsoleHandler` logging, make the following changes in your project's `conf/logging.properties` file before you start IDM.

Set `java.util.logging.ConsoleHandler.level = OFF`, and comment out other references to `ConsoleHandler`, as shown in the following excerpt:

```
# ConsoleHandler: A simple handler for writing formatted records to System.err
#handlers=java.util.logging.FileHandler, java.util.logging.ConsoleHandler
handlers=java.util.logging.FileHandler
...
# --- ConsoleHandler ---
# Default: java.util.logging.ConsoleHandler.level = INFO
java.util.logging.ConsoleHandler.level = OFF
#java.util.logging.ConsoleHandler.formatter = ...
#java.util.logging.ConsoleHandler.filter=...
```


Chapter 2

Set up Monitoring

IDM includes the following tools for monitoring metrics:

- A Dropwizard dashboard widget, for viewing metrics within IDM.
- A Prometheus endpoint, for viewing metrics through external resources such as Prometheus and Grafana.

The tool that you choose will depend on the metrics you monitor and on what you plan to use the metrics for.

IDM does not gather metrics by default. To enable metrics gathering, open `conf/metrics.json` and set the `enabled` property to `true`.

To verify that metrics are successfully enabled, run:

```
curl \
--header "X-OpenIDM-Username: openidm-admin" \
--header "X-OpenIDM-Password: openidm-admin" \
--header "Accept-API-Version: resource=1.0" \
--request GET \
'http://localhost:8080/openidm/metrics/api?_queryFilter=true'
```

If you have enabled metrics, this command returns information about the metrics that are being collected. Otherwise, the command returns a bad request response.

Metrics are reported only after they have been triggered by activity in IDM, such as a reconciliation.

For a list of available metrics, see "[Metrics Reference](#)".

Monitoring With the Dropwizard Widget

The Dropwizard widget creates a graph of metrics based on server activity. Locate the Dropwizard widget as follows:

1. Navigate to a [dashboard](#) in the Admin UI.
2. Select Add Widget, then select Dropwizard Table with Graph from the list of available widgets.

The Dropwizard widget is useful for lightweight, live monitoring of IDM, however, it has a few limitations:

- The graphs created by the widget do not persist; they are restarted if you reload or navigate away from the page.
- The widget only works with time-based metrics (other forms of metrics are not displayed in the widget).

Monitoring With the Prometheus Endpoint

Prometheus is a third-party tool used for gathering and processing monitoring data. Prometheus uses the `openidm/metrics/prometheus` endpoint to gather information. This endpoint is protected by a basic authentication filter, using the following credentials, set in the `resolver/boot.properties` file:

```
openidm.prometheus.username=username
openidm.prometheus.password=password
```

This section describes how to install Prometheus and Grafana to collect IDM metrics. These third-party tools are *not* supported by ForgeRock. For more information running Prometheus, see the Prometheus documentation.

+ *Configure Prometheus*

You must configure Prometheus using a `prometheus.yml` configuration file. For more information, see the Prometheus configuration documentation. An example `prometheus.yml` file would be:

```
global:
  scrape_interval: 15s
  external_labels:
    monitor: 'my_prometheus'

# https://prometheus.io/docs/operating/configuration/#scrape_config
scrape_configs:
  - job_name: 'openidm'
    scrape_interval: 15s
    scrape_timeout: 5s
    metrics_path: 'openidm/metrics/prometheus'
    scheme: http
    basic_auth:
      username: 'prometheus'
      password: 'prometheus'
    static_configs:
      - targets: ['localhost:8080']
```

This example configures Prometheus to poll the IDM endpoint every 5 seconds (`scrape_interval: 5s`), receiving metrics in a plain text format (`_fields: ['text']` and `_mimeType: ['text/plain;version=0.0.4']`). For more information about reporting formats, see the Prometheus documentation on [Exposition Formats](#). Use `curl` to validate that this configuration returns the expected results:

```
curl \
--user prometheus:prometheus \
--header "Accept-API-Version: resource=1.0" \
--request GET \
'http://localhost:8080/openidm/metrics/prometheus'
```

Start Prometheus with your `prometheus.yml` configuration file by running:

```
prometheus --config.file=/path/to/prometheus.yml
```

You can confirm that Prometheus is gathering data from IDM by navigating to the Prometheus monitoring page (by default, <http://localhost:9090>).

+ Configure Grafana

Prometheus lets you monitor and process information provided by IDM. If you need deeper analytics, you can use tools such as Grafana to create customized charts and graphs based on Prometheus data. For information on installing and running Grafana, see the [Grafana website](#).

Tip

The default username and password for Grafana is `admin` and `admin`.

To set up a Grafana dashboard with IDM metrics using Prometheus, add your Prometheus installation to Grafana, as a data source. Select Configuration > Data Sources from the left navigation panel in Grafana, then select Add Data Source.

Complete the options on the Add Data Source screen. The options in this list match the settings in the `monitoring.dashboard.json` file.

1. Give your data source a name, in this case, `ForgeRockIDM`.
2. Select Prometheus as the type.
3. Set the URL (by default, <http://localhost:9090>).
4. Set Access to proxy.
5. Enable Basic Auth.
6. Set a username and password of `prometheus` and `prometheus`.
7. Select Save & then Test Connection. If the configuration succeeds, you'll see the following message: "Data source is working."

When Prometheus has been set up as a data source in Grafana, you can create a dashboard with IDM metrics. Create a dashboard in one of the following ways:

- Download the Monitoring Dashboard Samples from the [ForgeRock BackStage download site](#). Find `monitoring.dashboard.json` in the downloaded .zip file. In the Grafana administrative screen, select Home > Import and import the noted file.
- Select Create > Dashboard.
- Select Graph.

- Select Panel Title > Edit.

Enter the metrics you want to display (which will be available in autocomplete as you type), or build more complex queries using the Prometheus query language.

Chapter 3

Metrics Reference

IDM exposes a number of metrics. Metrics are categorized as follows:

Timers

Timers provide a histogram of the duration of an event, along with a measure of the rate of occurrences. Timers can be monitored using the Dropwizard dashboard widget and the IDM Prometheus endpoint. Durations in timers are measured in milliseconds. Rates are reported in number of calls per second. The following example shows a Timer metric:

```
{
  "_id": "sync.source.perform-action",
  "count": 2,
  "max": 371.53391,
  "mean": 370.1752705,
  "min": 368.816631,
  "p50": 371.53391,
  "p75": 371.53391,
  "p95": 371.53391,
  "p98": 371.53391,
  "p99": 371.53391,
  "p999": 371.53391,
  "stddev": 1.3586395,
  "m15_rate": 0.393388581528647,
  "m1_rate": 0.311520313228562,
  "m5_rate": 0.3804917698002856,
  "mean_rate": 0.08572717156016606,
  "duration_units": "milliseconds",
  "rate_units": "calls/second",
  "total": 740.350541,
  "_type": "timer"
}
```

Summaries

Summaries are similar to Timers in that they measure a distribution of events. However, Summaries record values that aren't units of time, such as user login counts. Summaries cannot be graphed in the Dropwizard dashboard widget, but are available through the Prometheus endpoint, and by querying the [openidm/metrics/api](#) endpoint directly. The following example shows a Summary metric:

```

{
  "_id": "audit.recon",
  "m15_rate": 0.786777163057294,
  "m1_rate": 0.623040626457124,
  "m5_rate": 0.7609835396005712,
  "mean_rate": 0.16977218861919927,
  "units": "events/second",
  "total": 4,
  "count": 4,
  "_type": "summary"
}
    
```

Also see "[Set up Monitoring](#)".

All metrics are available at both the [openidm/metrics/api](#) and [openidm/metrics/prometheus](#) endpoints. The actual metric names can vary, depending on the endpoint used.

API Metrics

Metrics accessed at the [api](#) endpoint (such as those consumed by the Dropwizard dashboard widget) use dot notation for their metric names; for example, [recon.target-phase](#). The following table lists the API metrics available in IDM:

API Metrics Available in IDM

API Metric Name	Type	Description
audit.audit-topic	Summary	Count of all audit events generated of a given topic type.
field.augmentation.edge	Timer	Rate of reading response objects, to fulfill the <code>_fields</code> requested (when the fields were not populated by the initial repo query).
field.augmentation.vertex	Timer	Rate of reading response objects, to fulfill the <code>_fields</code> requested (when the fields were not populated by the initial repo query).
filter.filter-type.action.script-name	Timer	Rate at which filter scripts are executed, per action. Monitors scripted filters and delegated admin.
icf.system-identifier.objectClass.query._queryExpression	Timer	Rate of ICF query executions with <code>queryExpression</code> , and time taken to perform this operation.
icf.system-identifier.objectClass.query._queryFilter	Timer	Rate of ICF query executions with <code>queryFilter</code> , and time taken to perform this operation.

API Metric Name	Type	Description
<code>icf.system-identifier.objectClass.query._queryId.queryId</code>	Timer	Rate of ICF query executions with queryId, and time taken to perform this operation.
<code>icf.system-identifier.objectClass.query._UNKNOWN</code>	Timer	Rate of ICF query executions when the query type is UNKNOWN, and time taken to perform this operation.
<code>internal.managed-object.operation</code>	Timer	Rate of operations on internal objects.
<code>internal.managed-object.relationship.fetch-relationship-fields</code>	Timer	Rate of fetch operations of relationship fields for internal objects.
<code>internal.managed-object.relationship.get-relationship-value-for-resource</code>	Timer	Query rate on relationship values for internal objects.
<code>internal.managed-object.script.script-name</code>	Timer	Rate of script executions on internal object.
<code>internal.managed-object.relationship.validate-relationship-fields</code>	Timer	Rate of validate operations of relationship fields for internal objects.
<code>managed.field.augmentation</code>	Timer	Rate of responses requiring field augmentation. When the repository cannot retrieve all data in a single call, IDM performs additional read operations to complete (augment) the missing data.
<code>managed.managed-object.operation</code>	Timer	Rate of operations on a managed object.
<code>managed.managed-object.relationship.fetch-relationship-fields</code>	Timer	Rate of fetches of relationship fields of a managed object.
<code>managed.managed-object.relationship.get-relationship-value-for-resource</code>	Timer	Rate of queries to get relationship values for a resource on a managed object.
<code>managed.managed-object.relationship.validate-relationship-fields</code>	Timer	Rate of validations of relationship fields of a managed object.
<code>managed.managed-object.script.script-name</code>	Timer	Rate of executions of a script on a managed object.
<code>managed.object.handle-temporal-constraints-on-create</code>	Timer	Latency of enforcing temporal constraints on role objects during object creation.
<code>managed.object.handle-temporal-constraints-on-delete</code>	Timer	Latency of enforcing temporal constraints on role objects during object deletion.
<code>managed.object.handle-temporal-constraints-on-update</code>	Timer	Latency of enforcing temporal constraints on role objects during object update.
<code>managed.relationship.handle-temporal-constraints-on-create</code>	Timer	Latency of enforcing temporal constraints on relationship grants during edge creation.
<code>managed.relationship.handle-temporal-constraints-on-delete</code>	Timer	Latency of enforcing temporal constraints on relationship grants during edge deletion.

API Metric Name	Type	Description
<code>managed.relationship.handle-temporal-constraints-on-update</code>	Timer	Latency of enforcing temporal constraints on relationship grants during edge update.
<code>managed.relationship.validate.read-relationship-endpoint-edges</code>	Timer	Rate of reads on relationship endpoint edges for validation.
<code>null_array_filter.augmentationrequestType</code>	Timer	Time spent in filter which maps non-nullable, null-valued array fields to an empty array. This filter is traversed for all repo access relating to internal and managed objects.
<code>recon</code>	Timer	Rate of executions of a full reconciliation, and time taken to perform this operation.
<code>recon-assoc-entry.merged-query.merge-results</code>	Timer	Rate of merge operations after source and/or target objects have been retrieved during a merged query of recon association entries.
<code>recon-assoc-entry.merged-query.page-assoc-entries</code>	Timer	Rate of individual paged recon association entry queries during a merged query. More than one page of entries might be requested to build a single page of merged results.
<code>recon-assoc-entry.merged-query.query-source</code>	Timer	Rate of source object retrieval via query when merging source objects to recon association entries.
<code>recon-assoc-entry.merged-query.query-target</code>	Timer	Rate of target object retrieval via query when merging target objects to recon association entries.
<code>recon.association-persistence.recon-id-operation</code>	Timer	The time taken to persist association data. The <i>operation</i> can be <code>source</code> , <code>target</code> , or <code>amendsource</code> , depending on whether data is being produced for a source-phase or target-phase recon association, or to amend the association for a specific source.
<code>recon.id-queries-phase</code>	Timer	Rate of executions of the id query phase of a reconciliation, and time taken to perform this operation.
<code>recon.source-phase</code>	Timer	Rate of executions of the source phase of a reconciliation, and time taken to perform this operation.
<code>recon.source-phase.page</code>	Timer	Rate of pagination executions of the source phase of a reconciliation, and time taken to perform this operation.

API Metric Name	Type	Description
<code>recon.target-phase</code>	Timer	Rate of executions of the target phase of a reconciliation, and time taken to perform this operation.
<code>repo.jdbc.relationship.edge.execute.joinedToVertex</code>	Timer	Time (ms) spent running the Edge->Vertex relationship join query on the database and collecting the result set.
<code>repo.jdbc.relationship.execute</code>	Timer	Rate of relationship graph query execution times.
<code>repo.jdbc.relationship.process</code>	Timer	Rate of relationship graph query result processing times.
<code>repo.raw._queryId.queryId</code>	Timer	Rate of executions of a query with queryId at a repository level, and time taken to perform this operation.
<code>repo.repo-type.cache.objecttypes.event.resource-mapping</code>	Count	Counts the usage statistics of the <code>objecttypeid</code> cache, which maps an object type to its <code>objecttypeid</code> . The expected count is a small number of misses (sometimes, only one) and the remainder of hits.
<code>repo.repo-typeget-connection</code>	Timer	Rate of retrievals of a repository connection.
<code>repo.repo-type.operation.action_name.command.resource-mapping</code>	Timer	Rate of actions to a repository datasource for a generic/explicit mapped table.
<code>repo.repo-type.operation._adhoc-expression.relationship</code>	Timer	Rate of filtered queries (using native query expressions) on the relationship table. This metric measures the time spent making the query (in ms), and the number of times the query is invoked.
<code>repo.repo-type.operation._adhoc-filter.relationship</code>	Timer	Rate of filtered queries (using the <code>_queryFilter</code> parameter) on the relationship table. This metric measures the time spent making the query (in ms), and the number of times the query is invoked.
<code>repo.repo-type.create_properties.execute.resource-mapping</code>	Timer	Rate of execution time on the JDBC database for the <code>create_properties</code> operations. This operation is performed for every generic object <code>create</code> when it persists the searchable properties. The rate measured here does not include the time taken to obtain a connection to the database from the connection pool. The physical connections to the database have already been established inside the connection pool.

API Metric Name	Type	Description
<code>repo.repo-type.operation.execute.resource-mapping</code>	Timer	Rate of execution time on the JDBC database for CRUD operations. This rate does not include the time taken to obtain a connection to the database from the connection pool. The physical connections to the database have already been established inside the connection pool.
<code>repo.repo-type.query.execute.resource-mapping[.queryType.]</code>	Timer	Rate of execution time on the JDBC database for queries (either <code>queryFilter</code> or <code>queryId</code>). This rate does not include the time taken to obtain a connection to the database from the connection pool. The physical connections to the database have already been established inside the connection pool.
<code>repo.repo-type.operation.relationship</code>	Timer	Rate of CRUDPAQ operations to a repository datasource for a generic/explicit/relationship mapped table.
<code>repo.repo-type.operation.relationship.stage.origin_type</code>	Timer	Time (ms) spent in the various phases to retrieve relationship expanded data referenced by queried objects.
<code>repo.repo-type.operation.resource-mapping</code>	Timer	Rate of initiations of a CRUDPAQ operation to a repository datasource.
<code>router.path-name.action.action-type</code>	Timer	Rate of actions over the router, and time taken to perform this operation.
<code>router.path-name.create</code>	Timer	Rate of creates over the router, and time taken to perform this operation.
<code>router.path-name.delete</code>	Timer	Rate of deletes over the router, and time taken to perform this operation.
<code>router.path-name.patch</code>	Timer	Rate of patches over the router, and time taken to perform this operation.
<code>router.path-name.query.queryExpression</code>	Timer	Rate of queries with <code>queryExpression</code> completed over the router, and time taken to perform this operation.
<code>router.path-name.query.queryFilter</code>	Timer	Rate of queries with <code>queryFilter</code> completed over the router, and time taken to perform this operation.
<code>router.path-name.read</code>	Timer	Rate of reads over the router, and time taken to perform this operation.
<code>router.path-name.update</code>	Timer	Rate of updates over the router, and time taken to perform this operation.

API Metric Name	Type	Description
<code>scheduler.job-store.repo.operation.scheduler-object</code>	Timer	Time spent storing scheduled jobs in the repository.
<code>scheduler.type.operation</code>	Timer	Execution rate of scheduler requests.
<code>script.script-name.request-type</code>	Timer	Rate of calls to a script and time taken to complete.
<code>selfservice.user.password.reset</code>	Summary	Count of all successful user self-service password resets.
<code>selfservice.user.registration.registration-type</code>	Summary	Count of all successful user self-service registrations by registration type.
<code>selfservice.user.registration.registration-type.provider</code>	Summary	Count of all successful user self-service registrations by registration type and provider.
<code>sync.create-object</code>	Timer	Rate of requests to create a target object, and time taken to perform the operation.
<code>sync.delete-target</code>	Timer	Rate of requests to delete a target object, and time taken to perform the operation.
<code>sync.objectmapping.mapping-name</code>	Timer	Rate of configurations applied to a mapping.
<code>sync.queue.mapping-name.action.acquire</code>	Timer	Rate of acquisition of queued synchronization events from the queue.
<code>sync.queue.mapping-name.action.discard</code>	Timer	Rate of deletion of synchronization events from the queue.
<code>sync.queue.mapping-name.action.execution</code>	Timer	Rate at which queued synchronization operations are executed.
<code>sync.queue.mapping-name.action.failed</code>	Summary	Number of queued synchronization operations that failed.
<code>sync.queue.mapping-name.action.precondition-failed</code>	Summary	Number of queued synchronization events that were acquired by another node in the cluster.
<code>sync.queue.mapping-name.action.rejected-executions</code>	Summary	Number of queued synchronization events that were rejected because the backing thread-pool queue was at full capacity and the thread-pool had already allocated its maximum configured number of threads.
<code>sync.queue.mapping-name.action.release</code>	Timer	Rate at which queued synchronization events are released.
<code>sync.queue.mapping-name.action.release-for-retry</code>	Timer	Times the release of queued synchronization events after a failure and before exceeding the retry count.
<code>sync.queue.mapping-name.action.submit</code>	Timer	Rate of insertion of synchronization events into the queue.

API Metric Name	Type	Description
<code>sync.queue.mapping-name.poll-pending-events</code>	Timer	The latency involved in polling for synchronization events.
<code>sync.raw-read-object</code>	Timer	Rate of reads of an object.
<code>sync.source.assess-situation</code>	Timer	Rate of assessments of a synchronization situation.
<code>sync.source.correlate-target</code>	Timer	Rate of correlations between a target and a given source, and time taken to perform this operation.
<code>sync.source.determine-action</code>	Timer	Rate of determinations done on a synchronization action based on its current situation.
<code>sync.source.perform-action</code>	Timer	Rate of completions of an action performed on a synchronization operation.
<code>sync.target.assess-situation</code>	Timer	Rate of assessments of a target situation.
<code>sync.target.determine-action</code>	Timer	Rate of determinations done on a target action based on its current situation.
<code>sync.target.perform-action</code>	Timer	Rate of completions of an action performed on a target sync operation.
<code>sync.update-target</code>	Timer	Rate of requests to update an object on the target, and the time taken to perform this operation.
<code>user.login.user-type</code>	Summary	Count of all successful logins by user type.
<code>user.login.user-type.provider</code>	Summary	Count of all successful logins by user type and provider.
<code>virtual-properties-from-relationships.not-found.virtual_properties.resource_collection_relationship_field</code>	Summary	Number of 404 responses encountered when querying the <code>resource_collection/relationship_field</code> specified in the <code>traversal_depthX</code> tag for the most recent X.
<code>virtual-properties-from-relationships.unsatisfied-temp-constraint.virtual_properties.resource_collection_relationship_field</code>	Summary	Number of edges skipped due to an unsatisfied temporal constraint on either the edge or the referred-to vertex. Encountered when querying the resource collection and relationship field at the <code>traversal_depthX</code> tag for the most recent X.
<code>virtual-properties-from-relationships.virtual_properties.resource_collection_relationship_field</code>	Timer	Time spent traversing relationship fields to calculate the specified virtual properties. The managed objects linked to by the traversal relationship fields define a tree, whose root is the virtual property host. This object tree is traversed depth-first, with the <code>traversal_depthX</code> corresponding

API Metric Name	Type	Description
		to the latency involved with each relationship traversal. Traversal_depth0 corresponds to the first relationship field traversed. Because the tree is traversed depth-first, traversal_depthX will subsume all of the traversal latencies for all traversal_depth Y, where Y>X.

Prometheus Metrics

Metrics accessed through the Prometheus endpoint are prepended with `idm_` and use underscores between words, for example `idm_recon_target_phase_seconds`. The following table lists the Prometheus metrics available in IDM:

Prometheus Metrics available in IDM

Prometheus Metric Name	Type	Description
<code>idm_audit{audit_topic=audit-topic}</code>	Summary	Count of all audit events generated of a given topic type.
<code>idm_field_augmentation{origin-type=edge}</code>	Timer	Rate of reading response objects, to fulfill the <code>_fields</code> requested (when the fields were not populated by the initial repo query).
<code>idm_field_augmentation{origin-type=vertex}</code>	Timer	Rate of reading response objects, to fulfill the <code>_fields</code> requested (when the fields were not populated by the initial repo query).
<code>idm_filter_seconds{action=action,filter_type=filter-type,script_name=script-name}</code>	Timer	Rate at which filter scripts are executed, per action. Monitors scripted filters and delegated admin.
<code>idm_icf_system-identifier_objectClass_query_queryExpression_seconds</code>	Timer	Rate of ICF query executions with <code>queryExpression</code> , and time taken to perform this operation.
<code>idm_icf_system-identifier_objectClass_query_queryFilter_seconds</code>	Timer	Rate of ICF query executions with <code>queryFilter</code> , and time taken to perform this operation.
<code>idm_icf_system-identifier_objectClass_query_queryId_queryId_seconds</code>	Timer	Rate of ICF query executions with <code>queryId</code> , and time taken to perform this operation.
<code>idm_icf_system-identifier_objectClass_query_UNKNOWN_seconds</code>	Timer	Rate of ICF query executions when the query type is UNKNOWN, and time taken to perform this operation.
<code>idm_internal_managed-object_relationship_fetch_relationship_fields_seconds</code>	Timer	Rate of fetch operations of relationship fields for internal objects.

Prometheus Metric Name	Type	Description
<code>idm_internal_managed-object_relationship_get_relationship_value_for_resource_seconds</code>	Timer	Query rate on relationship values for internal objects.
<code>idm_internal_managed-object_relationship_validate_relationship_fields_seconds</code>	Timer	Rate of validate operations of relationship fields for internal objects.
<code>idm_internal_managed-object_script_script-name_seconds</code>	Timer	Rate of script executions on internal objects.
<code>idm_internal_seconds{managed_object=managed-object, operation=operation>}</code>	Timer	Rate of operations on internal objects.
<code>idm_managed_field_augmentation_seconds</code>	Timer	Rate of responses requiring field augmentation. When the repository is unable to retrieve all the data in a single call, IDM performs additional read operations to complete (augment) the missing data.
<code>idm_managed_managed-object_relationship_fetch_relationship_fields_seconds</code>	Timer	Rate of fetches of relationship fields of a managed object.
<code>idm_managed_managed-object_relationship_get_relationship_value_for_resource_seconds</code>	Timer	Rate of queries to get relationship values for a resource on a managed object.
<code>idm_managed_managed-object_relationship_validate_relationship_fields_seconds</code>	Timer	Rate of validations of relationship fields of a managed object.
<code>idm_managed_managed-object_script_script-name_seconds</code>	Timer	Rate of executions of a script on a managed object.
<code>idm_managed_object_handle_temporal_constraints_on_create</code>	Timer	Latency of enforcing temporal constraints on role objects during object creation.
<code>idm_managed_object_handle_temporal_constraints_on_delete</code>	Timer	Latency of enforcing temporal constraints on role objects during object deletion.
<code>idm_managed_object_handle_temporal_constraints_on_update</code>	Timer	Latency of enforcing temporal constraints on role objects during object update.
<code>idm_managed_relationship_handle_temporal_constraints_on_create</code>	Timer	Latency of enforcing temporal constraints on relationship grants during edge creation.
<code>idm_managed_relationship_handle_temporal_constraints_on_delete</code>	Timer	Latency of enforcing temporal constraints on relationship grants during edge deletion.
<code>idm_managed_relationship_handle_temporal_constraints_on_update</code>	Timer	Latency of enforcing temporal constraints on relationship grants during edge update.
<code>idm_managed_relationship_validate_read_relationship_endpoint_edges_seconds</code>	Timer	Rate of reads on relationship endpoint edges for validation.

Prometheus Metric Name	Type	Description
<code>idm_managed_seconds{managed_object=managed-object, operation=operation}</code>	Timer	Rate of operations on a managed object.
<code>idm_null_array_filter.augmentationrequestType</code>	Timer	Time spent in filter which maps non-nullable, null-valued array fields to an empty array. This filter is traversed for all repo access relating to internal and managed objects.
<code>idm_recon-assoc-entry_merged-query_merge-results</code>	Timer	Rate of merge operations after source and/or target objects have been retrieved during a merged query of recon association entries.
<code>idm_recon-assoc-entry_merged-query_page-assoc-entries</code>	Timer	Rate of individual paged recon association entry queries during a merged query. More than one page of entries might be requested to build a single page of merged results.
<code>idm_recon-assoc-entry_merged-query_query-source</code>	Timer	Rate of source object retrieval via query when merging source objects to recon association entries.
<code>idm_recon-assoc-entry_merged-query_query-target</code>	Timer	Rate of target object retrieval via query when merging target objects to recon association entries.
<code>idm_recon_association-persistence{recon-id=reconId, operation=operation}</code>	Timer	The time taken to persist association data. The <i>operation</i> can be <code>source</code> , <code>target</code> , or <code>amendsource</code> , depending on whether data is being produced for a source-phase or target-phase recon association, or to amend the association for a specific source.
<code>idm_recon_id_queries_phase_seconds</code>	Timer	Rate of executions of the id query phase of a reconciliation, and time taken to perform this operation.
<code>idm_recon_seconds</code>	Timer	Rate of executions of a full reconciliation, and time taken to perform this operation.
<code>idm_recon_source_phase_page_seconds</code>	Timer	Rate of pagination executions of the source phase of a reconciliation, and time taken to perform this operation.
<code>idm_recon_source_phase_seconds</code>	Timer	Rate of executions of the source phase of a reconciliation, and time taken to perform this operation.
<code>idm_recon_target_phase_seconds</code>	Timer	Rate of executions of the target phase of a reconciliation, and time taken to perform this operation.

Prometheus Metric Name	Type	Description
<code>idm_repo_adhoc-expression_relationship_seconds{operation=operation,repo_type=repo-type}</code>	Timer	Rate of filtered queries (using native query expressions) on the relationship table. This metric measures the time spent making the query (in ms), and the number of times the query is invoked.
<code>idm_repo_adhoc-filter_relationship_seconds{operation=operation,repo_type=repo-type}</code>	Timer	Rate of filtered queries (using the <code>queryFilter</code> parameter) on the relationship table. This metric measures the time spent making the query (in ms), and the number of times the query is invoked.
<code>idm_repo_execute_seconds{operation=create_properties,repo_type=repo-type,resource_mapping=resource-mapping}</code>	Timer	Rate of execution time on the JDBC database for the <code>create_properties</code> operations. This operation is performed for every generic object <code>create</code> when it persists the searchable properties. The rate measured here does not include the time taken to obtain a connection to the database from the connection pool. The physical connections to the database have already been established inside the connection pool.
<code>idm_repo_execute_seconds{operation=operation,repo_type=repo-type,resource_mapping=resource-mapping}</code>	Timer	Rate of execution time on the JDBC database for CRUD operations. This rate does not include the time taken to obtain a connection to the database from the connection pool. The physical connections to the database have already been established inside the connection pool.
<code>idm_repo_execute_seconds{operation="query",queryType=queryFilter queryId,repo_type=repo-type,resource_mapping=resource-mapping}</code>	Timer	Rate of execution time on the JDBC database for queries (either <code>queryFilter</code> or <code>queryId</code>). This rate does not include the time taken to obtain a connection to the database from the connection pool. The physical connections to the database have already been established inside the connection pool.
<code>idm_repo_get_connection_seconds{repo_type=repo-type}</code>	Timer	Rate of retrievals of a repository connection.
<code>idm_repo_jdbc_cache_objecttypes_count{event="hit miss",type=resource-mapping}</code>	Count	Counts the usage statistics of the <code>objecttypeid</code> cache, which maps an object type to its <code>objecttypeid</code> . The expected count is a small number of misses (sometimes, only one) and the remainder of hits.

Prometheus Metric Name	Type	Description
<code>idm_repo_jdbc_relationship_edge_execute_seconds{joinedToVertex=joinedToVertex}</code>	Timer	Time (ms) spent running the Edge->Vertex relationship join query on the database and collecting the result set.
<code>idm_repo_jdbc_relationship_execute_seconds</code>	Timer	Rate of relationship graph query execution times.
<code>idm_repo_jdbc_relationship_process_seconds</code>	Timer	Rate of relationship graph query result processing times.
<code>idm_repo_raw_queryid_credential_queryId_seconds</code>	Timer	Rate of executions of a query with queryId at a repository level, and time taken to perform this operation.
<code>idm_repo_relationship_count{operation=operation,origin_type=origin_type,repo_type=repo_type,stage=stage}</code>	Timer	Time (ms) spent in the various phases to retrieve relationship expanded data referenced by queried objects.
<code>idm_repo_relationship_seconds{operation=operation,repo_type=repo_type}</code>	Timer	Rate of CRUDPAQ operations to a repository datasource for a generic/explicit/relationship mapped table.
<code>idm_repo_seconds{action_name=action-name,command=command,operation=operation,repo_type=repo_type,resource_mapping=resource-mapping}</code>	Timer	Rate of actions to a repository datasource for a generic/explicit mapped table.
<code>idm_repo_seconds{operation=operation,repo_type=repo_type,resource_mapping=resource-mapping}</code>	Timer	Rate of initiations of a CRUDPAQ operation to a repository datasource.
<code>idm_router_path-name_action_action-type_seconds</code>	Timer	Rate of actions over the router, and time taken to perform this operation.
<code>idm_router_path-name_create_seconds</code>	Timer	Rate of creates over the router, and time taken to perform this operation.
<code>idm_router_path-name_delete_seconds</code>	Timer	Rate of deletes over the router, and time taken to perform this operation.
<code>idm_router_path-name_patch_seconds</code>	Timer	Rate of patches over the router, and time taken to perform this operation.
<code>idm_router_path-name_query_queryExpression_seconds</code>	Timer	Rate of queries with queryExpression completed over the router, and time taken to perform this operation.
<code>idm_router_path-name_query_queryFilter_seconds</code>	Timer	Rate of queries with queryFilter completed over the router, and time taken to perform this operation.
<code>idm_router_path-name_read_seconds</code>	Timer	Rate of reads over the router, and time taken to perform this operation.
<code>idm_router_path-name_update_seconds</code>	Timer	Rate of updates over the router, and time taken to perform this operation.

Prometheus Metric Name	Type	Description
<code>idm_scheduler_job_store_repo_seconds{operation=operation,scheduler_objectscheduler-object}</code>	Timer	Time spent storing scheduled jobs in the repository.
<code>idm_scheduler_seconds{operation=operation,type=type}</code>	Timer	Execution rate of scheduler requests.
<code>idm_script_script-name_request-type</code>	Timer	Rate of calls to a script and time taken to complete.
<code>idm_selfservice_user_password_reset</code>	Summary	Count of all successful user self-service password resets.
<code>idm_selfservice_user_registration{provider=provider,reg_type=registration-type}</code>	Summary	Count of all successful user self-service registrations by registration type and provider.
<code>idm_selfservice_user_registration{reg_type=registration-type}</code>	Summary	Count of all successful user self-service registrations by registration type.
<code>idm_sync_create_object_seconds</code>	Timer	Rate of requests to create an object on the target, and the time taken to perform this operation.
<code>idm_sync_delete_target_seconds</code>	Timer	Rate of requests to delete an object on the target, and the time taken to perform this operation.
<code>idm_sync_objectmapping_seconds{mapping_name=mapping-name}</code>	Timer	Rate of configurations applied to a mapping.
<code>idm_sync_queue_acquire{mapping_name=mapping-name, action=action}</code>	Timer	Rate of acquisition of queued synchronization events from the queue.
<code>idm_sync_queue_discard{mapping_name=mapping-name, action=action}</code>	Timer	Rate of deletion of synchronization events from the queue.
<code>idm_sync_queue_execution{mapping_name=mapping-name, action=action}</code>	Timer	Rate at which queued synchronization operations are executed.
<code>idm_sync_queue_failed{mapping_name=mapping-name, action=action}</code>	Summary	Number of queued synchronization operations that failed.
<code>idm_sync_queue_poll_pending_events{mapping_name=mapping-name}</code>	Timer	The latency involved in polling for synchronization events.
<code>idm_sync_queue_precondition_failed{mapping_name=mapping-name, action=action}</code>	Summary	Number of queued synchronization events that were acquired by another node in the cluster.
<code>idm_sync_queue_rejected_executions{mapping_name=mapping-name, action=action}</code>	Summary	Number of queued synchronization events that were rejected because the backing thread-pool queue was at full capacity and the thread-pool had already allocated its maximum configured number of threads.

Prometheus Metric Name	Type	Description
<code>idm_sync_queue_release_for_retry{mapping_name=mapping-name, action=action}</code>	Timer	Times the release of queued synchronization events after a failure and before exceeding the retry count.
<code>idm_sync_queue_release{mapping_name=mapping-name, action=action}</code>	Timer	Rate at which queued synchronization events are released.
<code>idm_sync_queue_submit{mapping_name=mapping-name, action=action}</code>	Timer	Rate of insertion of synchronization events into the queue.
<code>idm_sync_raw_read_object_seconds</code>	Timer	Rate of reads of an object.
<code>idm_sync_source_assess_situation_seconds</code>	Timer	Rate of assessments of a synchronization situation.
<code>idm_sync_source_correlate_target_seconds</code>	Timer	Rate of correlations between a target and a given source, and time taken to perform this operation.
<code>idm_sync_source_determine_action_seconds</code>	Timer	Rate of determinations done on a synchronization action based on its current situation.
<code>idm_sync_source_perform_action_seconds</code>	Timer	Rate of completions of an action performed on a synchronization operation.
<code>idm_sync_target_assess_situation_seconds</code>	Timer	Rate of assessments of a target situation.
<code>idm_sync_target_determine_action_seconds</code>	Timer	Rate of determinations done on a target action based on its current situation.
<code>idm_sync_target_perform_action_seconds</code>	Timer	Rate of completions of an action performed on a target sync operation.
<code>idm_sync_update_target_seconds</code>	Timer	Rate of requests to update an object on the target, and the time taken to perform this operation.
<code>idm_user_login{user_type=user-type}</code>	Summary	Count of all successful logins by user type.
<code>idm_user_login_total{provider=provider, user_type=user-type}</code>	Summary	Count of all successful logins by user type and provider.
<code>idm_virtual_properties_from_relationships{virtual_properties=calculated-virtual-properties, traversal_depthX=traversal-origin-resource-collection and traversal_relationship,not_found}</code>	Summary	Number of 404 responses encountered when querying the <code>resource_collection/relationship_field</code> specified in the <code>traversal_depthX</code> tag for the most recent X. X corresponds to the relationship field sequence.
<code>idm_virtual_properties_from_relationships{virtual_properties=calculated-virtual-properties, traversal_depthX=traversal-origin-resource-collection and traversal_relationship,unsatisfied_temp_constraint}</code>	Summary	Number of edges skipped due to an unsatisfied temporal constraint on either the edge or the referred-to vertex. Encountered when querying the resource collection and relationship field at the <code>traversal_depthX</code> tag for the most recent

Prometheus Metric Name	Type	Description
		X. X corresponds to the relationship field sequence.
<pre>idm_virtual_properties_ from_relationships{virtual_ properties=calculated-virtual-properties, traversal_depthX=traversal-origin- resource-collection and traversal relationship}</pre>	Timer	<p>Time spent traversing relationship fields to calculate the specified virtual properties. The managed objects linked to by the traversal relationship fields define a tree, whose root is the virtual property host. This object tree is traversed depth-first, with the traversal_depthX corresponding to the latency involved with each relationship traversal. Traversal_depth0 corresponds to the first relationship field traversed. Because the tree is traversed depth-first, traversal_depthX will subsume all of the traversal latencies for all traversal_depth Y, where Y>X. X corresponds to the relationship field sequence.</p>

IDM Glossary

correlation query	A correlation query specifies an expression that matches existing entries in a source repository to one or more entries in a target repository. A correlation query might be built with a script, but it is not the same as a correlation script. For more information, see " <i>Correlating Source Objects With Existing Target Objects</i> " in the <i>Synchronization Guide</i> .
correlation script	A correlation script matches existing entries in a source repository, and returns the IDs of one or more matching entries on a target repository. While it skips the intermediate step associated with a correlation query , a correlation script can be relatively complex, based on the operations of the script.
entitlement	An entitlement is a collection of attributes that can be added to a user entry via roles. As such, it is a specialized type of assignment . A user or device with an entitlement gets access rights to specified resources. An entitlement is a property of a managed object.
JCE	Java Cryptographic Extension, which is part of the Java Cryptography Architecture, provides a framework for encryption, key generation, and digital signatures.
JSON	JavaScript Object Notation, a lightweight data interchange format based on a subset of JavaScript syntax. For more information, see the JSON site.
JSON Pointer	A JSON Pointer defines a string syntax for identifying a specific value within a JSON document. For information about JSON Pointer syntax, see the JSON Pointer RFC.

JWT	JSON Web Token. As noted in the JSON Web Token draft IETF Memo , "JSON Web Token (JWT) is a compact URL-safe means of representing claims to be transferred between two parties." For IDM, the JWT is associated with the <code>JWT_SESSION</code> authentication module.
managed object	An object that represents the identity-related data managed by IDM. Managed objects are configurable, JSON-based data structures that IDM stores in its pluggable repository. The default configuration of a managed object is that of a user, but you can define any kind of managed object, for example, groups or roles.
mapping	A policy that is defined between a source object and a target object during reconciliation or synchronization. A mapping can also define a trigger for validation, customization, filtering, and transformation of source and target objects.
OSGi	A module system and service platform for the Java programming language that implements a complete and dynamic component model. For more information, see What is OSGi? Currently, only the Apache Felix container is supported.
reconciliation	During reconciliation, comparisons are made between managed objects and objects on source or target systems. Reconciliation can result in one or more specified actions, including, but not limited to, synchronization.
resource	An external system, database, directory server, or other source of identity data to be managed and audited by the identity management system.
REST	Representational State Transfer. A software architecture style for exposing resources, using the technologies and protocols of the World Wide Web. REST describes how distributed data objects, or resources, can be defined and addressed.
role	IDM distinguishes between two distinct role types - provisioning roles and authorization roles. For more information, see "Managed Roles" in the <i>Object Modeling Guide</i> .
source object	In the context of reconciliation, a source object is a data object on the source system, that IDM scans before attempting to find a corresponding object on the target system. Depending on the defined mapping, IDM then adjusts the object on the target system (target object).
synchronization	The synchronization process creates, updates, or deletes objects on a target system, based on the defined mappings from the source system. Synchronization can be scheduled or on demand.

system object

A pluggable representation of an object on an external system. For example, a user entry that is stored in an external LDAP directory is represented as a system object in IDM for the period during which IDM requires access to that entry. System objects follow the same RESTful resource-based design principles as managed objects.

target object

In the context of reconciliation, a target object is a data object on the target system, that IDM scans after locating its corresponding object on the source system. Depending on the defined mapping, IDM then adjusts the target object to match the corresponding source object.