



# Upgrade Guide

/ OpenAM 12

Latest update: 12.0.4

Mark Craig  
Gene Hirayama  
Mike Jang  
Vanessa Richie

ForgeRock AS  
33 New Montgomery St., Suite  
1500  
San Francisco, CA 94105, USA  
+1 415-599-1100 (US)  
[www.forgerock.com](http://www.forgerock.com)

---

Copyright © 2011-2017 ForgeRock AS.

## Abstract

This guide shows you how to upgrade OpenAM. OpenAM provides open source Authentication, Authorization, Entitlement, and Federation software.



This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License.

To view a copy of this license, visit <https://creativecommons.org/licenses/by-nc-nd/3.0/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

ForgeRock® and ForgeRock Identity Platform™ are trademarks of ForgeRock Inc. or its subsidiaries in the U.S. and in other countries. Trademarks are the property of their respective owners.

UNLESS OTHERWISE MUTUALLY AGREED BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DejaVu Fonts

Bitstream Vera Fonts Copyright

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: [fonts at gnome dot org](mailto:fonts at gnome dot org).

Arev Fonts Copyright

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: [tavmjong @ free . fr](mailto:tavmjong @ free . fr).

FontAwesome Copyright

Copyright (c) 2017 by Dave Gandy, <http://fontawesome.io>.

This Font Software is licensed under the SIL Open Font License, Version 1.1. See <https://opensource.org/licenses/OFL-1.1>.

---

# Table of Contents

Preface .....	iv
1. Who Should Use this Guide .....	iv
2. Formatting Conventions .....	iv
3. Accessing Documentation Online .....	v
4. Using the ForgeRock.org Site .....	v
1. About Upgrading OpenAM .....	1
1.1. Planning the Upgrade .....	1
1.2. Upgrading & Policies .....	1
1.3. Best Practices for Upgrades .....	2
2. Upgrading OpenAM Servers .....	5
3. Migrating Legacy Servers .....	10
4. Upgrading OpenAM Components .....	11
Index .....	13

# Preface

This guide describes how to upgrade OpenAM servers, policy agents, and tools.

## 1. Who Should Use this Guide

This guide is for anyone who needs to upgrade an OpenAM deployment. This guide assumes you are familiar with OpenAM installation and configuration, and that you are familiar with the current OpenAM deployment that you plan to upgrade.

You do not need to be an OpenAM wizard to learn something from this guide, though a background in access management and maintaining web application software can help. You do need some background in managing services on your operating systems and in your application servers. You can nevertheless get started with this guide, and then learn more as you go.

## 2. Formatting Conventions

Most examples in the documentation are created in GNU/Linux or Mac OS X operating environments. If distinctions are necessary between operating environments, examples are labeled with the operating environment name in parentheses. To avoid repetition file system directory names are often given only in UNIX format as in `/path/to/server`, even if the text applies to `C:\path\to\server` as well.

Absolute path names usually begin with the placeholder `/path/to/`. This path might translate to `/opt/`, `C:\Program Files\`, or somewhere else on your system.

Command-line, terminal sessions are formatted as follows:

```
$ echo $JAVA_HOME
/path/to/jdk
```

Command output is sometimes formatted for narrower, more readable output even though formatting parameters are not shown in the command.

Program listings are formatted as follows:

```
class Test {
    public static void main(String [] args) {
        System.out.println("This is a program listing.");
    }
}
```

## 3. Accessing Documentation Online

ForgeRock publishes comprehensive documentation online:

- The ForgeRock Knowledge Base offers a large and increasing number of up-to-date, practical articles that help you deploy and manage ForgeRock software.

While many articles are visible to community members, ForgeRock customers have access to much more, including advanced information for customers using ForgeRock software in a mission-critical capacity.

- ForgeRock product documentation, such as this document, aims to be technically accurate and complete with respect to the software documented. It is visible to everyone and covers all product features and examples of how to use them.

## 4. Using the ForgeRock.org Site

The [ForgeRock.org](https://forgerock.org) site has links to source code for ForgeRock open source software, as well as links to the ForgeRock forums and technical blogs.

If you are a *ForgeRock customer*, raise a support ticket instead of using the forums. ForgeRock support professionals will get in touch to help you.

## Chapter 1

# About Upgrading OpenAM

This chapter covers common aspects of upgrading an OpenAM deployment, whether you are moving to a new maintenance release, upgrading to a new major release, or migrating from a legacy release to a newer OpenAM release.

Release levels, and how much change to expect in a maintenance, minor, or major release, are defined in the *Administration Guide* section, *ForgeRock Product Release Levels* in the *Administration Guide*. Release levels are identified by version number.

## 1.1. Planning the Upgrade

How much you must do to upgrade OpenAM software depends on the magnitude of the differences between the version you currently use and the new version.

- Maintenance releases have a limited effect on current functionality but contain necessary bug and security fixes. You should keep up to date with maintenance releases as the fixes are important and the risk of affecting service is minimal.
- When upgrading to a new major or minor release, always plan and test the changes before carrying out the upgrade in production. Make sure you read release notes for intervening versions with care, identifying any changes likely to affect your deployment, and then plan accordingly.
- These suggestions are true both for OpenAM server components, and also for policy agents.

To upgrade from OpenAM server 9.5 and later you can use the Upgrade Wizard. The OpenAM server Upgrade Wizard, added in OpenAM 10.0.0, appears when you replace a deployed OpenAM server .war with a newer version and browse to the deployment URL. The Upgrade Wizard brings the OpenAM configuration, including the version number, up to date with the new version. The CLI counterpart of the Upgrade Wizard is `openam-upgrade-tool-12.0.0.jar`, which you install as described in *To Set Up Configuration Tools* in the *Installation Guide*.

For legacy releases, meaning OpenAM server version 9.0 and earlier including Sun Access Manager and OpenSSO releases, you must reinstall and configure OpenAM server rather than upgrade. Moving to a new release from a legacy release is therefore a migration, rather than a simple upgrade.

## 1.2. Upgrading & Policies

When upgrading from OpenAM 11 and earlier versions, the upgrade process changes how OpenAM represents policies. Most earlier policies transform directly to the newer representation.

If however the upgrade process encounters problems during the transformation, it writes messages about the problems in the upgrade log. When you open a policy in the policy editor that caused problems during the upgrade process, the policy editor shows the issues, but does not let you fix them directly. Instead you must create equivalent, corrected policies in order to use them in OpenAM.

You should therefore plan to test policy upgrade before upgrading the service, and to correct any problems encountered before using the upgraded service.

For details on how to configure OpenAM policies, see the *Administration Guide* chapter, *Defining Authorization Policies* in the *Administration Guide*.

## 1.3. Best Practices for Upgrades

Be prepared before you begin an upgrade, even if the upgrade is for a maintenance release.

### 1.3.1. Route Around Servers During Downtime

Upgrading servers takes at least one of your OpenAM sites down while the server configurations are being brought up to date with the newer version. Plan for this site to be down, routing client applications to another site until the upgrade process is complete and you have validated the result. Make sure client application owners are well aware of the change, and let them know what to expect.

If you only have a single OpenAM site, make sure the downtime happens in a low usage window, and make sure you let client application owners plan accordingly.

During an upgrade you must restrict access to OpenAM Console: The Upgrade Wizard page does not require authorization; any user with access to OpenAM Console immediately after you deploy the new .war can therefore initiate the upgrade process.

### 1.3.2. Back Up the Deployment

Always back up your deployment before you upgrade, as you must be able to roll back should something go wrong during the upgrade process.

- Backing up your configuration as described in *Backing Up and Restoring OpenAM Configurations* in the *Administration Guide* is good for production environments.
- In preparation for upgrading OpenAM servers and their configurations, also take LDIF backups of the configuration store data in the directory servers. If possible, stop servers before upgrading and take a file system backup of the deployed servers and also of their configuration directories as well. This can make it easier to roll back from a failed upgrade.

For example, if you deploy OpenAM server in Apache Tomcat under `/openam`, you might take a file system backup of the following directories for each OpenAM server.

- `/path/to/tomcat/webapps/openam/`
- `~/openam/`
- `~/openamcfg/`
- When upgrading web policy agents, take a file system backup of the policy agent installation and configuration directories.

When upgrading Java EE policy agents, it can be easier to uninstall the new version and reinstall the old version than to restore from file system backup.

- When upgrading tools, keep copies of any tools scripts that you have edited for your deployment. Also back up any trust stores used to connect securely.

### 1.3.3. Apply Customization Before Upgrading

Before you upgrade OpenAM servers, prepare a `.war` file that contains any customizations you require.

Customizations include any changes you have made to the OpenAM server installation, such as the following.

- Plugins and extensions such as custom authentication modules, response attribute providers, post authentication plugins, SAML 2.0 attribute mappers, and OAuth 2.0 scope implementations

These are described in the *Developer's Guide*.

- Customized JSPs, redesigned login or service pages, additional CSS and visual content, and modified authentication module callback files

These are described in "*Customizing the OpenAM End User Pages*" in the *Installation Guide*.

- Any changes to OpenAM classes
- Any changes or additional Java class libraries (such as `.jar` files in `WEB-INF/lib`)

### 1.3.4. Plan for Rollback

Sometimes even a well-planned upgrade operation fails to go smoothly. In such cases, you need a plan to roll back smoothly to the pre-upgrade version.

For OpenAM servers, you can roll back by restoring from file system backup. If you use an external configuration directory service, restore the old configuration from LDIF before restarting the old servers.



For web policy agents, you can roll back by restoring from file system backup. If you used configuration only available to newer agents, restore the pre-upgrade configuration before restarting the old agents.

For Java EE policy agents, uninstall the newer agents and reinstall the older agents, including the old configurations.

## Chapter 2

# Upgrading OpenAM Servers

This chapter covers upgrade from OpenAM core server 9.5 or later to the current version. For other OpenAM components, see *Upgrading OpenAM Components*.

OpenAM server upgrade relies on the Upgrade Wizard to make the necessary changes to the configuration store. You must then restart OpenAM or the container in which it runs. Even a version number change requires that you run the Upgrade Wizard, so needing to run the Upgrade Wizard says nothing about the significance of the changes that have been made to OpenAM. You must run the Upgrade Wizard even for maintenance releases.

Make sure you try upgrading OpenAM in a test environment before applying the upgrade in your production environment.

### Important

If you are updating from version 12.0, 12.0.1, 12.0.2, or 12.0.3 to version 12.0.4 or 13.x, you will need to update your code to include the `csrf` parameter when sending REST requests to the `/oauth2/authorize` endpoint.

For more information, see "OpenAM OAuth 2.0 Endpoints" in the *Administration Guide*.

- "To Upgrade From OpenAM 9.5 or Later"
- "To Complete Upgrade from OpenAM 11.0"
- "To Complete Upgrade from OpenAM 10.1.0 Xpress"

### *To Upgrade From OpenAM 9.5 or Later*

Follow these steps to upgrade a site of OpenAM servers (version 9.5 or later). During the upgrade process, you must take the OpenAM servers in the site out of production, instead redirecting client application traffic elsewhere. This is required because upgrade involves making changes to OpenAM's configuration model. If the upgrade fails, you must be able to roll back before the configuration changes impact other sites.

**Important**

Do *not* perform an upgrade by deploying the new version and then importing an existing configuration by running the **ssoadm import-svc-config** command. Importing an outdated configuration can result in a corrupted installation.

1. Prepare your customized OpenAM server .war file.
2. Back up the deployment.
3. Route client application traffic to another site during the upgrade.
4. For servers in the site, stop OpenAM, or if necessary stop the container where OpenAM runs.
5. For servers in the site, deploy your customized server .war file.

When you deploy the new .war file, you might have to delete working files left by the old installation. For example, if you deploy on Apache Tomcat, replacing `/path/to/tomcat/webapps/openam.war`, then also recursively delete the `/path/to/tomcat/webapps/openam/` and `/path/to/tomcat/work/Catalina/localhost/openam/` directories before restarting the server.

6. For servers in the site, restart OpenAM or the container where it runs.
7. For the first server in the site, follow the instructions in the Upgrade Wizard.

Alternatively for a silent, unattended upgrade, you can use the `openam-upgrade-tool-12.0.0.jar` tool to upgrade the server configuration in a command-line script.

First you must install the tool. The procedure, *To Set Up Configuration Tools* in the *Installation Guide*, describes how to install the tool.

The upgraded server must be deployed and running when you use the tool.

The `openam-upgrade-tool-12.0.0.jar` relies on a properties file to upgrade OpenAM server.

```
$ cp sampleupgrade upgrade.properties
$ vi upgrade.properties
$ grep -v "^#" upgrade.properties
SERVER_URL=http://openam.example.com:8080
DEPLOYMENT_URI=/openam
ACCEPT_LICENSES=true
```

When the new OpenAM server .war file is deployed and running, you can upgrade by using the tool with the properties file.

```
$ java -jar openam-upgrade-tool-12.0.0.jar --file upgrade.properties

Writing Backup; Done.
Upgrading Services
```

```
New service iPlanetAMAuthPersistentCookieService; Done.
New service iPlanetAMAuthOpenIdConnectService; Done.
New service OAuth2Provider; Done.
New service iPlanetAMAuthDevicePrintModuleService; Done.
New service crestPolicyService; Done.
New service RestSecurity; Done.
New service MailServer; Done.
New service dashboardService; Done.
New service iPlanetAMAuthOATHService; Done.
Add Organization schema to sunFAMSAML2Configuration; Done.
Upgrade sunAMAuthHOTPSERVICE; Done.
Upgrade sunAMAuthADService; Done.
Upgrade sunAMAuthOAuthService; Done.
Upgrade iPlanetAMAuthCertService; Done.
Upgrade sunIdentityRepositoryService; Done.
Upgrade iPlanetAMPASSWORDResetService; Done.
Upgrade iPlanetAMSessionService; Done.
Upgrade iPlanetAMAuthService; Done.
Upgrade iPlanetAMAuthLDAPService; Done.
Upgrade sunAMAuthDataStoreService; Done.
Upgrade AgentService; Done.
New sub schema sunIdentityRepositoryService; Done.
New sub schema AgentService; Done.
Delete service sunFAMLibertyInteractionService; Done.
Delete service sunFAMLibertySecurityService; Done.
Creating entitlement application type crestPolicyService; Done.
Creating entitlement application crestPolicyService; Done.
Re-enabling Generic LDAPv3 Data Store; Done.
Upgrading data store embedded; Done.
Updating Platform Properties; Done.
Writing Upgrade Log; Done.

Upgrade Complete.
```

For additional information about the command-line tool, see the reference documentation for `upgrade.jar` in the *Reference*.

8. (Optional) If you want to configure the upgraded system for the Core Token Service (CTS), read *Configuring the Core Token Service* in the *Installation Guide*. For a list of supported directory services, see the *Data Store Requirements* section of the *Release Notes* in the *Release Notes*.
9. Validate that the service is performing as expected.
10. Allow client application traffic to flow to the upgraded site.

### *To Complete Upgrade from OpenAM 11.0*

After upgrade from OpenAM 11.0.x, all OAuth 2.0 client configurations inherit the default response types:

```
code
token
```

id\_token  
code token  
token id\_token  
code id\_token  
code token id\_token

1. For each OAuth 2.0 client configuration, edit the list of response types to remove any that are not supported or not required.
2. For each OAuth 2.0 client configuration, update the client password.

As part of a fix for OpenID Connect ID Token signing, the password storage format for OAuth 2.0 clients has changed. OpenAM now stores client passwords using reversible encryption. OpenAM 11.0 stores client passwords using a one-way hash algorithm, and therefore the passwords cannot be recovered.

You can update the client password by using either OpenAM console or the **ssoadm update-agent** with the `--attributevalues` option to update the value of the `userpassword` attribute.

### *To Complete Upgrade from OpenAM 10.1.0 Xpress*

When upgrading from OpenAM 10.1.0 Xpress, the upgrade tool does not change the Dashboard service LDAP schema, although the object IDs used in the Dashboard service LDAP schema definitions are not correct.

You can fix the object IDs manually using the OpenDJ **ldapmodify** command. The command is delivered with OpenDJ directory server.

1. Update the LDAP schema defined in the OpenDJ directory server where OpenAM stores its configuration.

Make the change on one of the replicated OpenDJ configuration directory servers.

The example command shown below uses the **ldapmodify** command delivered with the embedded OpenDJ configuration directory server for OpenAM with deployment URI `/openam`. When you use the embedded OpenDJ configuration directory server, the password for the `cn=Directory Manager` account is the same password used by `amadmin`.

The LDAP schema definitions are stored on the LDAP subentry with distinguished name `cn=schema`. You use the following LDIF format definitions to correct the object IDs in the definitions.

```
$ cd ~/openam/opends/bin
$ cat dash.ldif
dn: cn=schema
changetype: modify
delete: objectClasses
objectClasses: ( 1.3.6.1.4.1.1466.101.120.1433 NAME
  'forgerock-am-dashboard-service' AUXILIARY MAY (
    assignedDashboard ) X-ORIGIN
  'Forgerock' )
-
delete: attributeTypes
attributeTypes: ( 1.3.6.1.4.1.36733.2.1.9.2.811 NAME ( 'assignedDashboard' )
  DESC 'Dashboard App registry' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15
  X-ORIGIN
  'OpenAM' )
-
add: attributeTypes
attributeTypes: ( 1.3.6.1.4.1.36733.2.2.1.3.1 NAME ( 'assignedDashboard' )
  DESC 'Dashboard App registry' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15
  X-ORIGIN
  'OpenAM' )
-
add: objectClasses
objectClasses: ( 1.3.6.1.4.1.36733.2.2.2.3.1 NAME
  'forgerock-am-dashboard-service' AUXILIARY MAY (
    assignedDashboard ) X-ORIGIN 'Forgerock' )

$ ./ldapmodify -p 50389 -D "cn=Directory Manager" -w password -f ./dash.ldif
Processing MODIFY request for cn=schema
MODIFY operation successful for DN cn=schema
```

2. (Optional) If you want to configure the upgraded system with a different directory service for the Core Token Service (CTS), read *Configuring the Core Token Service* in the *Installation Guide*. For a list of supported directory services, see the *Data Store Requirements* section of the *Release Notes*. in the *Release Notes*

## Chapter 3

# Migrating Legacy Servers

Rather than upgrade legacy servers (OpenAM 9.0, OpenSSO and Sun Access Manager servers), you instead migrate from your existing deployment to a new deployment.

For complex legacy deployments, ForgeRock can assist you in the migration process. Send mail to [info@forgerock.com](mailto:info@forgerock.com) for more information.

### *To Upgrade A Legacy Deployment*

1. Prepare your customized OpenAM server .war file.
2. Prepare a new deployment, installing servers from the new, customized .war file as described in the *Installation Guide*, starting with the instructions in *Installing OpenAM Core Services* in the *Installation Guide*.
3. After installation, configure the new servers in the same way as the old servers, adapting as necessary.

You can use the **ssoadm do-batch** command to apply multiple changes with one command.

4. Validate that the new service is performing as expected.
5. Redirect client application traffic from the old deployment to the new deployment.

## Chapter 4

# Upgrading OpenAM Components

This chapter is concerned with upgrades for policy agents, OpenAM tools, and the OpenAM distributed authentication UI.

- "To Upgrade Web Policy Agents"
- "To Upgrade Java EE Policy Agents"
- "To Upgrade OpenAM Tools"
- "To Upgrade OpenAM Distributed Authentication Server"

### *To Upgrade Web Policy Agents*

1. Back up the policy agent installation and configuration directories.

Also back up the configuration if it is stored centrally in OpenAM.

2. Redirect client traffic away from the protected application.
3. Stop the web server where the policy agent is installed.
4. Remove the old policy agent as described in the *OpenAM Web Policy Agent User's Guide*.

If the uninstallation process has changed, refer to the version of the *Web Policy Agent Installation Guide* that corresponds to your web policy agent.

5. Install the new policy agent using the existing configuration.
6. Start the web server where the policy agent is installed.

For new features, the policy agent uses the default configuration until you make changes.

7. Validate that the policy agent is performing as expected.
8. Allow client traffic to flow to the protected application.

### *To Upgrade Java EE Policy Agents*

1. Back up the policy agent installation and configuration directories.



Also back up the configuration if it is stored centrally in OpenAM.

2. Redirect client traffic away from the protected application.
3. Uninstall the old policy agent.
4. Install the new policy agent.

For new features, the policy agent uses the default configuration until you make changes.

5. Validate that the policy agent is performing as expected.
6. Allow client traffic to flow to the protected application.

### *To Upgrade OpenAM Tools*

Since OpenAM 10.1, the session tools are no longer needed. Upgrading other tools consists of installing new tools and customizing tools scripts as necessary.

1. Install new versions of the tools.
2. Apply any customizations you made to the scripts, referring to the old tools installation as necessary.
3. Once the new tools are working, you can delete the old tools.

### *To Upgrade OpenAM Distributed Authentication Server*

If you deployed the distributed authentication server (DAS) .war file, then you must upgrade the DAS when you upgrade other OpenAM servers.

1. Redirect client application traffic away from the server.
2. Stop the DAS or the container in which it runs.
3. Deploy the new DAS .war file.

When you deploy the new .war file, you might have to delete working files left by the old installation.

4. Restart the DAS or the container in which it runs.
5. Validate that the DAS is working as expected.
6. Allow client application traffic to flow back to the server.

# Index

## B

- backups, 2
- best practices, 2

## C

- customizations, 3

## D

- distributed authentication
  - upgrading, 12

## J

- Java EE policy agents
  - upgrading, 11

## L

- legacy servers
  - migrating, 10

## O

- OpenAM
  - components
    - upgrading, 11
  - distributed authentication
    - upgrading, 12
  - Java EE policy agents
    - upgrading, 11
  - tools
    - upgrading, 12
  - upgrading, 5
  - upgrading 10.1.0 Xpress, 8
  - upgrading 11.0, 7
  - upgrading 9.5 or later, 5
  - web policy agents
    - upgrading, 11

## P

- policy
  - changes during upgrade, 2

## R

- rollbacks, 3

## T

- tools
  - upgrading, 12

## U

- upgrades
  - about, 1
  - affecting policies, 1
  - and backups, 2
  - applying customizations, 3
  - best practices, 2
  - planning, 1
  - planning for rollbacks, 3

## W

- web policy agents
  - upgrading, 11